Mobile Stool Units | MTS | METS | MTR60S | MTO60S | MSTS







Mobile Stool Units Product Information



Model	Seats	Table WxL	Folded Dimensions	Table-Seat Height (Standard)	Table-Seat Height (Custom)
METS	12	45"x121"	59"x35"x81 5/8"	29"-17"	25"-13" 27"-15" 32"-20"





Model	Seats	Table WxL	Folded Dimensions	Table-Seat Height (Standard)	Table-Seat Height (Custom)
MTS8	8	30"x97"	32"x 59"x57"	29"-17"	25"-13" 27"-15" 32"-20"
MTS10	12	30"x121"	59"x36"x73 1/2"	29"-17"	
MTS12	12	30"x145"	59"x39"x79 3/4"	29"-17"	
MTS1216	16	30"x145"	59"x35"x81 5/8"	27"-15"	25"-13"



Model	Seats	Table WxL	Folded Dimensions	Table-Seat Height (Standard)	Table-Seat Height (Custom)
MTO60S	8	60"x60"	38"x81"x54 1/2"	29"-17"	25"-13" 27"-15" 32"-20"












MTO60S

INTRODUCING The **Designer Shaped** Table Series





THE SWERVE TABLE™

Model	Seats	Table WxL	Folded Dimensions	Table-Seat Height (Standard)	Table-Seat Height (Custom)
MSTS8	8-12	30"x97"	56"x34½"x59¾"	29"-17"	25"-13" 27"-15" 32"-20"
MSTS10	10-14	30"x121"	56"x35"x68½"	29"-17"	25"-13" 27"-15" 32"-20"
MSTS12	12-16	30"x145"	56"x35½"x81"	29"-17"	25"-13" 27"-15" 32"-20"

THE BEDROCK TABLE™

Model	Seats	Table WxL	Folded Dimensions	Table-Seat Height (Standard)	Table-Seat Height (Custom)
MBTS8	8-12	30"x97"	56"x34½"x59¾"	29"-17"	25"-13" 27"-15" 32"-20"
MBTS10	10-14	30"x121"	56"x35"x68½"	29"-17"	25"-13" 27"-15" 32"-20"
MBTS12	12-16	30"x145"	56"x35½"x81"	29"-17"	25"-13" 27"-15" 32"-20"











Sophistication made Simple with Safety in mind.

NPS Mobile Tables are sophisticated in design yet simple to operate. Offering enhanced safety features giving you complete peace of mind.

Frame Design

Intelligent steel understructure design supports table tops and seating providing ease of operation and maintenance.

Table Top Apron Support

- Each top is supported by 2" deep, 14 gauge steel aprons capped at the ends with riveted plastic protectors.
- Aprons and brackets are fastened to wood with custom designed tamper resistant screws with superior holding power while still easily serviceable if the need arises.
- Tops are supported between the leg top tubes and wood with spacers.

Leg Assembly -

- Structural leg components are comprised of 11/4" diameter, 14 gauge steel tubing.
- Legs and stool columns are constructed of 11/4" diameter, 14 gauge steel tubing and braced horizontally to the stool support column on the opposite side of the table to resist bending.



Lock Rod -

- Heavy duty 7/16" diameter lock rod is chrome plated to resist wear.
- Tamper resistant lock nuts on all down lock assemblies with self-adjusting hinge lock ensure that the down lock engages every time.

Storage Lock -

• Heavy duty storage lock is comprised of 1½" square tube with heavy duty catch. Locks automatically in storage position and easily release from either side of the table when opening.



Table Top

Core

- Available in MDF, Particleboard, or Plywood.
- Tops are surfaced with high pressure laminate bonded to a 3/4" thick AC grade core, sealed underneath with a poly backer for T-Mold/Edge Banding and a phenolic backer for Protect Edge. This is especially helpful when cleaning the underside of the table.



Edge

- Available with Protect Edge or Vinyl T-Molding.
- Protect Edge is sealed with a polyurethane epoxy resin. Chemically bound to the edge of the laminate, core and phenolic backing sheet.
- Vinyl T-molding is secured by staples to the tops underside approximately every 10".





Seat

Stools -

- Stools are injection molded with a minimum of 25 oz. of rubber modified, high impact polystyrene materials measuring 13" in diameter.
- Ribs, which extend from the outer parameter of the stool to the mounting hub in the center, are reinforced to resist failure with 12 integrally molded, tapered ribs.
- Steel washer distributes the edge load of the leg tube so it cannot cut into the stool.
- Wobble-free stools are mounted quickly without "wobble" with our custom designed serrated head nut and bolt. Nut also has nylon locking inserts to ensure stools stay tight.
- Power tools are recommended for safe and secure assembly.







Mobile Stool Units Advantages & Benefits

Hardware

Table Top Screws

- Serrated head and thick threading provides superior holding power to frame with the ability to be serviced easily in the field.
- Tamper resistant

Stool Bolts & Nuts -

• Serrated Hex-head bolt and serrated flange nuts with nylon insert provides for quick assembly and long lasting "wobble-free" stools.

Flower Glides and Tube Closures -

• Made from glass infused nylon and spring steel, will not break or fall out.

Casters -

- 4" heavy-duty, double ball baring casters
- Weight capacity of 275 lbs. per caster
- Hard rubber, non-marring wheels



Operation

Entrances -

• Each stool position has its own entrance clear of obstructions when entering the unit to sit down.



Locking - Opening

• A gravity lock automatically locks the table in the open position. The lock is disengaged manually, capable of operating from both sides of the table.

Locking - Folding -

• The storage lock latch automatically locks the table in the folded storage position. The lock is disengaged manually, capable of operating from both sides of the table within easy reach.

Custom Torsion Bar System

- Easy opening and closing via a perfectly balanced torsion bar system.
- Each unit includes 1 to 5 torsion bars determined by table size and core material.
- Each torsion bar is at a specific angle based on weight distribution.



Safety



Lift-Off Casters -

- Mobile tables incorporate the beneficial caster lift-off design in which casters lift off the floor in the open position.
- Lift-off casters do not protrude past the seats so they are not a tripping hazard.

Midway Position Lock -

• Secures the unit in a partially folded position for ease of movement during floor cleaning and to prevent finger or hand pinching.



Storage Lock Latch -

• Vertical adjustment ensures that the table always locks safely into the folded position.

UL Certified (1)



• Tested for 7,000 open/close cycles exceeding the UL testing of 6,000 cycles.

Safety Position —

• Folds in teepee position to prevent tipping.







Standard EdgesNo minimum required



Vinyl T-Molding | Black (TM)




Protect Edge | Black (PE)




3MM PVC Edge Banding | Black (EB)

Premium Edges

May be subject to minimum quantity and upcharge







Red (TR)

























Medium Grey (TE)



Brown (TO)



Purple (PP)



Light Grey (PL)



Purple (EP)



Light Grey (EL)

MODEL NUMBER CONFIGURATION

EDGE BANDING 3MM PVC

Model Number Edge Frame Laminate Color Top MTS12-PW PE CR CH 04

Stool Color

AVAILABLE HEIGHTS 13"/25" 15"/27" 17"/29" 20"/32" code: 32 code: 25 code: 27 standard⁰ *For non-standard heights add code to end of model number *Standard MTS1216 and MBTS1216 is 15"/27"

Table Core Options








Stool Top Color Options






Pacific Blue





Tangerine (17)





Pea Pod

(16)

Standard Laminates



Robin



Port РО



Regimental Red RR



Hollyberry ŘΕ



Candy Apple



Orange Grove ŌG



Marigold ΥŴ



Teal Honeycomb HC



Ocean OC



Persian Blue BL



Lapis Blue LB



Catalina CI



Indigo IN



Atlantis ΑT



Black ВК



Graphite Nebula GN



Asian Night AN



Rustic Slate RS



Forged Steel FS



Figured Mahogany MY



Coffee Bean СВ



Mantana Walnut



Lowell Ash



Burnished Chestnut



Buka Bark



River Cherry



Nepal Teak



Wild Cherry



Monticello Maple MP



Bannister Oak ОК



Castle Oak CO



Limber Maple LM



Kensington Maple KS



Fusion Maple FM



Manitoba Maple MT



Natural Tigris NG



Natural Nebula NN



Steel Mesh SL



Slate Grey SG



Mystic Night MN



Pewter Brush PB



Windswept Pewter



Dove Grey



Sheer Mesh



Crisp Linen



High Rise



Pearl Soapstone





Titanium EV



Cloud Nebula CN

Platinum

PL



GF

Evening Tigris

White Nebula

Bronze Legacy

BL



Nickel NE







Grey Glace GG

Grey Nebula GY

Designer White DW

Mobile Stool Units Design Options

Sprout

Woolamai Brush

WB

Windswept Bronze

WΖ

Harvest Maple

Maroochy Brush Brittany Blue Windsor Mahogany **Fonthill Pear Almond Leather** AL Twilight Zephyr











Pewter Mesh

PW



Island

Navy Legacy

NL

Pinnacle Walnut

PΝ

Gold Alchemy

Natural Almond

NA



















Premium Laminates

May be subject to minimum quantity and upcharge





Kale Leaf

ΚL











Wheat Berry







WD











IF YOU DON'T SEE A LAMINATE, JUST ASK!

Choose any laminates from:

May be subject to minimum quantity and upcharge







Carbon Ev